

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	7	((powered turned) adj off) near3 (sav\$3 stor\$3) adj3 (received sent)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/25 08:08
L3	1	(data near received) near3 ((powered adj down) ((powered turned) adj off)) near3 lost	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/25 08:12
L4	68	(data near received) near3 ((powered adj down) ((powered turned) adj off))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/25 08:13
L5	53	4 and @ad <="20020913"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/25 08:24
L6	1	data near received near3 during adj2 power adj3 mode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/25 08:27
L7	32	received near3 during adj2 power adj3 mode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/25 08:27
S13 2	0	memory adj (connected coupled) adj2 gate\$1way adj card	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 08:42
S13 3	2	(enabl\$3) near (read\$3 writ\$3) adj3 networks	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 08:50
S13 4	11	(enabl\$3) near (read\$3 writ\$3) adj7 networks	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 08:51
S13 5	23	(enabl\$3) near (read\$3 writ\$3) with networks	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 08:51
S13 6	12	S135 not S134	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 09:18
S13 7	0	(based adj3 mode) near5 (switch\$3 near memory)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 09:18
S13 8	2	(depend\$4 adj3 mode) near5 (switch\$3 near memory)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 09:45
S13 9	10	(switch\$3 near memory) near3 power near mode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 09:49
S14 0	0	switch\$3 near shared near3 based adj3 mode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 09:53

## EAST Search History

S14 1	0	switch\$3 near3 shared near3 based adj3 mode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 09:53
S14 2	17	(sav\$3 stor\$3) near3 until adj2 powered	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 14:47
S14 3	152	(during adj3 power\$3 adj2 mode) near3 switch\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 14:48
S14 4	3	(during adj3 power\$3 adj2 mode) near3 switch\$3 near3 memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 14:50
S14 5	2	powered adj down near3 connect\$4 near memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 14:52
S14 6	24	connect\$4 near memory near during	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 14:58
S14 7	0	(send\$3 transmit\$4) adj3 memory near3 (during adj3 (power adj2 mode))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:00
S14 8	25	(send\$3 transmit\$4) adj3 memory near3 (during adj3 (mode))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:09
S14 9	0	(saves saving) adj3 (sent transmitted received) adj3 powered	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:24
S15 0	6	(saves saving) adj3 (sent transmitted received) adj3 during	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:10
S15 1	0	(saves saving) adj3 (sent transmitted received) near3 powered	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:21
S15 2	6	(saves saving) adj3 (sent transmitted received) near3 (off down)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:22
S15 3	0	(saves saving stores storing) adj3 (sent transmitted received) adj3 powered	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:25
S15 4	1	(saves saving stores storing) adj3 (sent transmitted received) near3 powered	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:26
S15 5	2157368	(sent transmitted) adj2 powered down	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:27

## EAST Search History

S15 6	6	(sent transmitted) adj2 powered adj down	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:28
S15 7	34	(saves stores) adj3 power\$3 adj2 mode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:32
S15 8	13	(saves stores) adj (data information) adj3 during adj3 mode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:38
S15 9	28	(sent transmitted) near3 (during adj2 (power adj3 mode))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 15:54
S16 0	17	(buffer\$3) near3 (during adj2 (power adj3 mode))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:04
S16 1	92	(buffer\$3) near3 (powered adj down)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:07
S16 2	74	S161 and @ad <="20020913"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/25 08:13
S16 3	3	(buffer\$3 near (information data)) near3 (powered adj down)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:08
S16 4	30	"while"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:17
S16 5	30	while	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:17
S16 6	92	(during adj2 power adj2 mode) near3 receiv\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:18
S16 7	35	(during adj2 power adj2 mode) near3 received	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:19
S16 8	0	during adj3 mode near3 (gate\$1way adj card) near3 processor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:20
S16 9	0	during adj3 mode near3 (gate\$1way adj card) near5 processor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:20
S17 0	0	during adj3 mode near3 (gate\$1way adj card) near7 processor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 16:20

## EAST Search History

S17 1	0	during adj3 mode near3 (gate\$1way adj card) with processor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/25 08:04
----------	---	---	------------------------------	----	-----	------------------